

QuickVue® Dipstick Strep A Test

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 09/10/2018 Revision date: 04/16/2024 Supersedes: 07/26/2023 Version: 3.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : QuickVue® Dipstick Strep A Test
Product code : 20108, 20108IN, 20125, 20152, 20318

1.2. Recommended use and restrictions on use

Recommended use : For in vitro diagnostic use
Restrictions on use : Professional Use of Medical Devices

1.3. Supplier

Manufacturer

Quidel Corporation
10165 McKellar Court
San Diego, CA 92121 - U.S.A
T 1.800.874.1517 - F 1.858.453.4338
gehs@quidelortho.com - techdocs.quidelortho.com

1.4. Emergency telephone number

Emergency number : 1.866.519.4752

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Components	GHS US classification
Positive Control, QuickVue Strep A	Skin Sens. 1, H317
Reagent A, QuickVue Strep A	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
Reagent B, QuickVue Strep A	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Negative Control, QuickVue Strep A	Skin Sens. 1, H317

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Components	Pictograms	Signal word	Hazard statements	Precautionary statements
Positive Control, QuickVue Strep A		Warning	H317 - May cause an allergic skin reaction	P280 - Wear lab coat, safety glasses, and gloves. P302+P352 - If on skin: Wash skin thoroughly with mild soap and water P321 - Specific treatment: Seek medical attention if ill effect develops P501 - Dispose of contents/container: Dispose in a safe manner in accordance with local/national regulations
Reagent A, QuickVue Strep A		Warning	H302 - Harmful if swallowed H319 - Causes serious eye irritation	P280 - Wear lab coat, safety glasses, and gloves. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container: Dispose in a safe manner in accordance with local/national regulations

QuickVue® Dipstick Strep A Test

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 09/10/2018 Revision date: 04/16/2024 Supersedes: 07/26/2023 Version: 3.1

Reagent B, QuickVue Strep A		Warning	H315 - Causes skin irritation H319 - Causes serious eye irritation	P280 - Wear lab coat, safety glasses, and gloves. P302+P352 - If on skin: Wash skin thoroughly with mild soap and water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment: Seek medical attention if ill effect develops P501 - Dispose of contents/container: Dispose in a safe manner in accordance with local/national regulations
Negative Control, QuickVue Strep A		Warning	H317 - May cause an allergic skin reaction	P280 - Wear lab coat, safety glasses, and gloves. P302+P352 - If on skin: Wash skin thoroughly with mild soap and water P321 - Specific treatment: Seek medical attention if ill effect develops P501 - Dispose of contents/container: Dispose in a safe manner in accordance with local/national regulations

SECTION 3: Composition/Information on ingredients

Name	Chemical name	CAS #	%	GHS US classification
Reagent A, QuickVue Strep A	sodium nitrite	7632-00-0	27.6	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Aquatic Acute 1, H400
Reagent B, QuickVue Strep A	acetic acid	64-19-7	1.2	Flam. Liq. 3, H226 Skin Corr. 1A, H314 Eye Dam. 1, H318
Negative Control, QuickVue Strep A	Microcide III	-	0.3	Skin Sens. 1, H317
	Sodium azide	26628-22-8	<0.1	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310
Positive Control, QuickVue Strep A	Microcide III	-	0.3	Skin Sens. 1, H317
	Sodium azide	26628-22-8	<0.1	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310

Other hazards which do not result in classification : Follow Universal Precautions when handling this component. This product contains material of human and/or animal origin. Contains sodium azide at <0.1%.

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Call a poison center/doctor/physician if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Eye irritation.
- Immediate medical attention and special treatment, if necessary : Treat symptomatically.

QuickVue® Dipstick Strep A Test

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 09/10/2018 Revision date: 04/16/2024 Supersedes: 07/26/2023 Version: 3.1

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Environmental precautions : Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections : For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

QuickVue Dipstick Strep A Test		
OSHA	OSHA PEL TWA	25 mg/m ³
OSHA	OSHA PEL TWA	10 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

QuickVue® Dipstick Strep A Test

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 09/10/2018 Revision date: 04/16/2024 Supersedes: 07/26/2023 Version: 3.1

8.3. Individual protection measures/Personal protective equipment

Materials for protective clothing:

Lab coat

Hand protection:

Wear protective gloves. Wash your hands

Eye protection:

Safety glasses

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless to pale yellow liquid
Color	: Clear
Odor	: No data available
Odor threshold	: No data available
pH	: 2.4 Reagent B, Acetic Acid (1.2%) 7 – 9 Reagent A, Sodium Nitrite (27.6%)
pH	: $\geq 7 - \leq 9$ Reagent A, Sodium Nitrite (27.6%)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

QuickVue® Dipstick Strep A Test

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 09/10/2018 Revision date: 04/16/2024 Supersedes: 07/26/2023 Version: 3.1

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

QuickVue Dipstick Strep A Test	
ATE US (oral)	652.174 mg/kg body weight
Reagent A, QuickVue Strep A	
ATE US (oral)	652.174 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

QuickVue® Dipstick Strep A Test

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 09/10/2018 Revision date: 04/16/2024 Supersedes: 07/26/2023 Version: 3.1

SECTION 13: Disposal considerations

13.1. Disposal methods

- Regional waste regulation : Disposal must be done according to official regulations.
- Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Sewage disposal recommendations : Disposal must be done according to official regulations.
- Product/Packaging disposal recommendations : Dispose of contents/container: Dispose in a safe manner in accordance with local/national regulations.
- Ecological information : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

QuickVue Dipstick Strep A Test

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Sodium nitrite	CAS No 7632-00-0	27.6%
Acetic acid	CAS No 64-19-7	1.2%
Microcide III	CAS No -	0.3%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Reagent A, QuickVue Strep A

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Reagent B, QuickVue Strep A

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Negative Control, QuickVue Strep A

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Microcide III

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

QuickVue® Dipstick Strep A Test

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/10/2018

Revision date: 04/16/2024

Supersedes: 07/26/2023

Version: 3.1

Indication of changes:

Updated SDS template.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.